

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:**JLM DPF& GPF Cleaning Foam 500ml
- **Article number:** J02224
- **UFI:** TX46-70H1-800P-U0G3
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the mixture** Surface cleaning
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
JLM Lubricants BV
Schiphol Boulevard 127
1118 BG Schiphol
The Netherlands
Tel: +31 (0) 20 2014995
- **Further information obtainable from:** Research & Development: info@jlm lubricants.com
- **1.4 Emergency telephone number:** During normal business hours: Tel: +31 (0) 20 2014995

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
2-aminoethanol
Alcohol ethoxylate C9-11
- **Hazard statements**
H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 (2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 1)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403	Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

- EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** -

- **Dangerous components:**

CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	10-<25%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane (containing < 0.1% butadiene (203-450-8), Note K) Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2,5-<10%
CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28	2-aminoethanol Consisting of: 111-42-2 diethanolamine (<0,5%) Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥2,5-<5%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2,5-<10%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18	tetrapotassium pyrophosphate Eye Irrit. 2, H319	1-<2,5%
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9-11 Eye Dam. 1, H318; Acute Tox. 4, H302	1-<2,5%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8), Note K) Flam. Gas 1A, H220; Press. Gas (Comp.), H280	0,1-<1%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Consisting of: 78-70-6 linalool (<1%) Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≤0,1%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 (2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 2)

· Ingredients according to detergents guideline 648/2004/EC

aliphatic hydrocarbons	≥5 - <15%
phosphates, non-ionic surfactants, perfumes	<5%

· Additional information:

Aerosols and containers fitted with a solid atomizer containing substances or mixtures classified as hazardous by aspiration shall not be labelled for that hazard.

The text of the hazard statements mentioned here can be found in chapter 16.

The application of a CRF (Child-Resist Fastening) is mandatory if this product is offered on the consumer market. Note that the CRF is part of the packaging and not the classification.

The application of a TWD (Tactile Warning of Danger) is mandatory if this product is offered on the consumer market. Please note that the TWD is part of the packaging and not of the classification.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Water haze

Fire-extinguishing powder

Carbon dioxide

Alcohol resistant foam

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 (2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 3)

· 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**
 - Do not spray onto a naked flame or any incandescent material.
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
 - Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
 - Store in a cool location.
 - Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:**
 - Observe official regulations on storing packagings with pressurised containers.
- **Further information about storage conditions:**
 - Store in cool, dry conditions in well sealed receptacles.
 - Protect from heat and direct sunlight.
- **Storage class:** 2 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

34590-94-8 (2-methoxymethylethoxy)propanol

AGW (Germany)	Long-term value: 310 mg/m ³ , 50 ppm
	1(I);DFG, EU, 11

106-97-8 butane (containing < 0.1% butadiene (203-450-8), Note K)

AGW (Germany)	Long-term value: 2400 mg/m ³ , 1000 ppm
	4(II);DFG

141-43-5 2-aminoethanol

AGW (Germany)	Long-term value: 0,5 mg/m ³ , 0,2 ppm
	1(I);DFG, EU, H, Y, Sh, 11

74-98-6 propane

AGW (Germany)	Long-term value: 1800 mg/m ³ , 1000 ppm
	4(II);DFG

75-28-5 isobutane (containing < 0,1 % butadiene (203-450-8), Note K)

AGW (Germany)	Long-term value: 2400 mg/m ³ , 1000 ppm
	4(II);DFG

5989-27-5 (R)-p-mentha-1,8-diene

AGW (Germany)	Long-term value: 28 mg/m ³ , 5 ppm
	4(II);DFG, H, Sh, Y

- **Regulatory information** AGW (Germany): TRGS 900

(Contd. on page 5)

DE-EN

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 4)

· DNELs		
141-43-5 2-aminoethanol		
Oral	DNEL Long term-systemic	1,5 mg/kg bw/day (Consumer)
Dermal	DNEL Long term-systemic	1,5 mg/kg bw/day (Consumer) 3 mg/kg bw/day (Worker)
Inhalative	DNEL Long term-systemic	0,18 mg/m ³ (Consumer) 1 mg/m ³ (Worker)
	DNEL Long term-local	0,28 mg/m ³ (Consumer) 0,51 mg/m ³ (Worker)
7320-34-5 tetrapotassium pyrophosphate		
Inhalative	DNEL Long term-systemic	10,87 mg/m ³ (Consumer)
		44,08 mg/m ³ (Worker)

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

General ventilation

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter ABEK/P2

· **Hand protection**

Wear gloves for the protection against chemicals according to EN 374



Protective gloves

Solvent resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0,5$ mm

· **Penetration time of glove material**

For continuous contact we recommend gloves with breakthrough time of at least 240 minutes, with the preference given to a breakthrough time greater than 480 minutes. For short-term or splash guard we recommend the same. We are aware that suitable gloves that offer this level of protection may not be available. In that case, a shorter breakthrough time are acceptable as long as the procedures governing maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance of the gloves against a chemical substance, because this depends on the exact composition of the material from which the gloves are made.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

DE-EN

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 5)

- **Eye/face protection**
Safety glasses



Tightly sealed goggles

- **Body protection:**
Use protective suit. (EN-13034/6)
Fully skin-covering anti-static, chemical- and oil-resistant clothing and safety shoes are recommended. (EN1149; EN340&EN ISO 13688; EN13034-6).
- **Environmental exposure controls** Use an appropriate container to avoid environmental pollution.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information	
· Physical state	Aerosol
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	-44,5 °C
· Flammability	Highly flammable
· Lower and upper explosion limit	
· Lower:	1,1 Vol %
· Upper:	14 Vol %
· Flash point:	-97 °C
· Ignition Temperature	270 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	11,7
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	5000 hPa
· Density and/or relative density	
· Density at 20 °C:	~0,944 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Form:	Aerosol
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Organic solvents:	26,1 %
· Water:	71,4 %
· Solids content:	1,0 %
· Evaporation rate	Not applicable.

(Contd. on page 7)

DE-EN

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 6)

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

Based on available data, the classification criteria are not met.

ATE (Acute Toxicity Estimates)

Oral	ATE	26520 mg/kg
Dermal	ATE	33733 mg/kg

141-43-5 2-aminoethanol

Oral	ATE	1089 mg/kg (Undefind)
Dermal	ATE	1100 mg/kg (Undefind)

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Inhalative	LC50 (4h)	39,9 mg/l (Rat)
------------	-----------	-----------------

141-43-5 2-aminoethanol

Oral	LD50	1515 mg/kg (Rat) (Acute Oral Toxicity)
Dermal	LD50	2881 mg/kg (Rabbit) (Acute Dermal Toxicity)
Inhalative	LC50 (4h)	1,3 mg/l (Rat) (Acute Inhalation Toxicity)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 7)

7320-34-5 tetrapotassium pyrophosphate

Oral	LD50	2980 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat) (Acute Dermal Toxicity)

68439-46-3 Alcohol ethoxylate C9-11

Oral	LD50	1400 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

141-43-5 2-aminoethanol

LC0 (96h)	150 mg/l (Fish)
LC100	500 mg/l (Fish)
NOEC (21 days)	0,85 mg/l (Daphnia magna)
EC50 (72h)	2,8 mg/l (Pseudokirchneriella subcapitata)
LC50 (96h)	349 mg/l (Cyprinus carpio)
EC50 (48h)	65 mg/l (Daphnia magna)

7320-34-5 tetrapotassium pyrophosphate

LC50	>750 mg/l (Fish (Golden Orfe))
	>750 mg/l (Fish (leuciscus idus))

68439-46-3 Alcohol ethoxylate C9-11

LC50	>1-10 mg/l /96h (Fish)
EC50	>1-10 mg/l /72h (Skeletonema costatum)
EC50	>1-10 mg/l /48h (Daphnia magna)

- **12.2 Persistence and degradability** Not easily biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 8)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

14 06 03*	other solvents and solvent mixtures
-----------	-------------------------------------

15 01 04	metallic packaging
----------	--------------------

HP3	Flammable
-----	-----------

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA

UN1950

· 14.2 UN proper shipping name

· ADR, ADN

UN1950 AEROSOLS

· IMDG

AEROSOLS

· IATA

AEROSOLS, flammable, containing substances in Class 8, Packing Group III

· 14.3 Transport hazard class(es)

· ADR



· Class

2 5FC Gases.

· Label

2.1+8

· ADN

· ADN/R Class:

2 5FC

· IMDG



· Class

2.1 Gases.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 9)

· Label	2.1/8
· IATA	
	
· Class	2.1 Gases.
· Label	2.1 (8)
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Code	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1 (8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 11)

DE-EN

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
(2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 10)

- **Seveso category** P3a FLAMMABLE AEROSOLS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
Wasser	50-<75
NK	25-<50

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **VOC-CH** 23,10 %
- **VOC-EU** ~246,4 g/l
- **Danish MAL Code** 4-3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 (2020/878)

Printing date: 30.10.2025

Version: 32 (replaces version 31)

Revision: 30.10.2025

Trade name: DIESEL PARTICLE FILTER CLEANER FOAM 11-00000-1107 AER

(Contd. of page 11)

· **Classification according to Regulation (EC) No 1272/2008**

Physical and chemical properties: The classification is based on the results of the mixtures tested. Health hazards, Environmental hazards: The method of classification of mixtures based on the constituents of the mixture (sum formula).

· **Department issuing SDS:** Research & Development

· **Contact:**G. Groot

· **Date of previous version:** 15.05.2025

· **Version number of previous version:** 31

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **Sources**

Supplier information (safety data sheets) & data from the "Database of Registered Substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

DE-EN