

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 8/12/2025 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : JLM Iron Exterminator  
UFI : 1E7Q-U0XV-J00Y-E1SP  
Product group : Washing and cleaning products (including solvent based products)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use, Industrial use

#### 1.3. Details of the supplier of the safety data sheet

JLM Lubricant BV  
SchipholBoulevard 127  
1118 BG Schiphol  
The Netherlands  
T +31 (0)20 2014995  
[info@jlm lubricants](mailto:info@jlm lubricants)

#### 1.4. Emergency telephone number

Emergency number : +31(0)20 2014995

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

Sodium mercaptoacetate (46%)

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P501 - Dispose of contents and container to authorised waste disposal facility.

Child-resistant fastening :

Not applicable

Tactile warning :

Not applicable

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Sodium mercaptoacetate (46%) (367-51-1)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Comments : Aqueous solution including surfactants

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium mercaptoacetate (46%) substance with national workplace exposure limit(s) (DE)	CAS-No.: 367-51-1 EC-No.: 206-696-4 REACH-no: 01-2119968564-24	1 – 20	Acute Tox. 4 (Oral), H302 (ATE=350 mg/kg bodyweight) Skin Sens. 1, H317 Aquatic Chronic 3, H412
2-(2-Butoxyethoxy) ethanol substance with national workplace exposure limit(s) (DE); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8	1 – 20	Eye Irrit. 2, H319
Sodium p-cumenesulfonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6	1 – 20	Eye Irrit. 2, H319
Ethylhexyl hydrogen sulfate, sodium salt	CAS-No.: 126-92-1 EC-No.: 204-812-8	< 10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Isopropanol substance with national workplace exposure limit(s) (DE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	1 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.
- Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.
- Explosion hazard : No direct explosion hazard.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

#### For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

<b>2-(2-Butoxyethoxy) ethanol (112-34-5)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL STEL	101.2 mg/m <sup>3</sup>

#### 8.2. Exposure controls

##### Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protection equipment

###### Personal protective equipment:

Wear recommended personal protective equipment.

###### Personal protective equipment symbol(s):



##### Eye and face protection

###### Eye protection:

Safety glasses (EN ISO 16321)

##### Skin protection

###### Skin and body protection:

Wear suitable protective clothing (EN ISO 13688)

###### Hand protection:

Protective gloves (EN ISO 374-1)

##### Respiratory protection

###### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pink.
Appearance	: Clear. Liquid low viscosity.
Odour	: Pleasant.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: ≈ 8 (20°C)
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.07 g/cm <sup>3</sup> (20 °C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

##### Ethylhexyl hydrogen sulfate, sodium salt (126-92-1)

LD50 oral rat	2840 mg/kg
LD50 dermal rat	> 2000 mg/kg

##### Sodium p-cumenesulfonate (15763-76-5)

LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal	> 2000 – ≤ 5000 mg/kg

##### 2-(2-Butoxyethoxy) ethanol (112-34-5)

LD50 oral rat	2410 – 5530 mg/kg
LD50 dermal rat	2764 mg/kg (OECD 402)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402)

##### Isopropanol (67-63-0)

LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	30 mg/l/4h

##### Sodium mercaptoacetate (46%) (367-51-1)

LD50 oral rat	200 – 500 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation : Not classified  
pH: ≈ 8 (20°C)

##### Sodium mercaptoacetate (46%) (367-51-1)

pH	7 – 9.5
----	---------

Serious eye damage/irritation : Causes serious eye irritation.  
pH: ≈ 8 (20°C)

##### Sodium mercaptoacetate (46%) (367-51-1)

pH	7 – 9.5
----	---------

Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

##### Isopropanol (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Not classified

##### 2-(2-Butoxyethoxy) ethanol (112-34-5)

NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight/day
----------------------------	--------------------------

Aspiration hazard : Not classified

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2-(2-Butoxyethoxy) ethanol (112-34-5)

Viscosity, kinematic	6.506 mm <sup>2</sup> /s
----------------------	--------------------------

### Isopropanol (67-63-0)

Viscosity, kinematic	3.096 mm <sup>2</sup> /s
----------------------	--------------------------

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### Ethylhexyl hydrogen sulfate, sodium salt (126-92-1)

LC50 - Fish [1]	> 100 mg/l
-----------------	------------

EC50 - Crustacea [1]	483 mg/l
----------------------	----------

EC50 72h - Algae [1]	> 511 mg/l
----------------------	------------

### Sodium p-cumenesulfonate (15763-76-5)

LC50 - Fish [1]	> 100 mg/l (Oncorhynchus mykiss) (OECD 203)
-----------------	---

EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna) (OECD 202)
----------------------	---------------------------------------

EC50 72h - Algae [1]	> 100 mg/l (Desmodesmus subspicatus) (OECD 201)
----------------------	---

### 2-(2-Butoxyethoxy) ethanol (112-34-5)

LC50 - Fish [1]	> 1300 mg/l (Lepomis macrochirus) (OECD 203)
-----------------	--

LC50 - Fish [2]	> 100 mg/l (Desmodesmus subspicatus) (OECD 201)
-----------------	---

EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna) (OECD 202)
----------------------	---------------------------------------

EC50 - Crustacea [2]	4950 mg/l (Daphnia magna)
----------------------	---------------------------

EC50 72h - Algae [1]	> 100 mg/l (Desmodesmus subspicatus) (OECD 201)
----------------------	---

NOEC chronic fish	> 100 mg/l (Desmodesmus subspicatus) (OECD 201)
-------------------	---

NOEC chronic crustacea	> 100 mg/l
------------------------	------------

NOEC chronic algae	> 100 mg/l
--------------------	------------

### Isopropanol (67-63-0)

EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
----------------------	----------------------------

EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus subspicatus)
----------------------	--------------------------------------

### 12.2. Persistence and degradability

#### JLM Iron Exterminator

Persistence and degradability	Potentially biodegradable.
-------------------------------	----------------------------

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ethylhexyl hydrogen sulfate, sodium salt (126-92-1)

Persistence and degradability	Readily biodegradable.
Biodegradation	97 % (DOC-DIE Away test, OECD 301A, 28 days)

### Sodium p-cumenesulfonate (15763-76-5)

Persistence and degradability	Biodegradable.
Biodegradation	> 60 % (28 d; aerob; OECD 301 B)

### 2-(2-Butoxyethoxy) ethanol (112-34-5)

Persistence and degradability	Oxidies rapidly by photo-chemical reactions in air, Readily biodegradable.
Biodegradation	100 % (OECD 302 B)

### Isopropanol (67-63-0)

Persistence and degradability	Readily biodegradable, Oxidies rapidly by photo-chemical reactions in air.
-------------------------------	--

### Sodium mercaptoacetate (46%) (367-51-1)

Persistence and degradability	Readily biodegradable.
Biodegradation	84.5 % OECD 301 F

## 12.3. Bioaccumulative potential

### Ethylhexyl hydrogen sulfate, sodium salt (126-92-1)

Partition coefficient n-octanol/water (Log Pow)	-0.35
---	-------

### 2-(2-Butoxyethoxy) ethanol (112-34-5)

Partition coefficient n-octanol/water (Log Pow)	< 3
---	-----

### Isopropanol (67-63-0)

Partition coefficient n-octanol/water (Log Pow)	0.05
---	------

### Sodium mercaptoacetate (46%) (367-51-1)

Partition coefficient n-octanol/water (Log Pow)	-2.99
---	-------

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

### 2-(2-Butoxyethoxy) ethanol (112-34-5)

Additional information	Do not allow to enter into surface water or drains. Slightly hazardous to water
------------------------	---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration

# JLM Iron Exterminator

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.